

SAFETY DATA SHEET

Date Issued: 12/01/2008
 MSDS No: BS1002
 Date Revised: 06/23/2009
 Revision No: 1

Resilience® Sealant Resin

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Resilience® Sealant Resin
PRODUCT DESCRIPTION: Sealant Resin
PRODUCT CODE: FC-RESI-006; FC-RESI-019, FC-RESI-047
CHEMICAL FAMILY: Aromatic and Aliphatic Dimethacrylate Monomers
GENERIC NAME: Sealant Resin

MANUFACTURER

Ortho Technology, Inc.
 17401 Commerce Park Boulevard
 Tampa FL 33647
Product Stewardship: 1-800-999-3161

24 HR. EMERGENCY TELEPHONE NUMBERS

For Chemical Emergency
 Spill Leak or Fire Exposure or Accident
 Call CHEMTREC Day or Night
 Domestic North America 1-800-424-9300
 International, Call +1 703-527-3887 (collect calls
 accepted)

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS	EINECS
Aromatic and Aliphatic Dimethacrylates Monomers	N/A	N/A
Camphorquinone	2767-84-2	220-446-1
Tertiary Amine	N/A	N/A

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Resin

POTENTIAL HEALTH EFFECTS

EYES: Mild irritant

SKIN: Mild irritant

INHALATION: Not likely under normal conditions

HEALTH HAZARDS: Repeated contact with skin may cause irritation and reddening.

PHYSICAL HAZARDS: Incompatibility with strong oxidizing agents.

4. FIRST AID MEASURES

EYES: Flush with copious amounts of water for at least 15 minutes.

SKIN: Wash with soap and water.

INGESTION: Seek medical attention, No adverse effects are expected.

INHALATION: Remove to fresh air if there are any breathing difficulties.

SAFETY DATA SHEET

Date Issued: 12/01/2008
MSDS No: BS1002
Date Revised: 06/23/2009
Revision No: 1

Resilience® Sealant Resin

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical foam, CO2

FIRE FIGHTING PROCEDURES: None required

FIRE FIGHTING EQUIPMENT: Firefighters should wear full protective clothing and self-contained breathing apparatus.

FIRE EXPLOSION: Material may burn if exposed to flame

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Carbon

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb small spills with a paper towel.

LARGE SPILL: Dike large spills with vermiculite or similar absorbent

SPECIAL PROTECTIVE EQUIPMENT: Glove and eye protection suggested

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Follow instructions for use

HANDLING: To be handled by qualified dental professionals.

STORAGE: Store at or below room temperature. Do not expose to visible light.

STORAGE TEMPERATURE: Store at or below room temperature.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses or splash goggles

SKIN: Gloves

RESPIRATORY: None required under normal use

PROTECTIVE CLOTHING: Lab Coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

FLASHPOINT AND METHOD: ND = No Data/Not Determined

AUTOIGNITION TEMPERATURE: ND = No Data/Not Determined

PHYSICAL STATE: Resin

ODOR: Characteristic acrylate odor

SAFETY DATA SHEET

Date Issued: 12/01/2008
MSDS No: BS1002
Date Revised: 06/23/2009
Revision No: 1

Resilience® Sealant Resin

APPEARANCE: Resin

BOILING POINT: ND = No Data/Not Determined

MELTING POINT: ND = No Data/Not Determined

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: > 1.000

10. STABILITY AND REACTIVITY

STABILITY: Stable.

CONDITIONS TO AVOID: Avoid high temperatures and visible light.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization may occur in large quantities.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Carbon

INCOMPATIBLE MATERIALS: Strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Irritation to the eyes can occur

SKIN EFFECTS: Irritation to the skin can occur

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: May cause adverse environmental impact if material reaches waterways

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations

14. TRANSPORT INFORMATION

COMMENTS: None required

15. REGULATORY INFORMATION

GENERAL COMMENTS: R-Phrase:

R21: Harmful in contact with skin

S-Phrase:

S24/25: Avoid contact with skin and eyes.

SAFETY DATA SHEET

Date Issued: 12/01/2008
MSDS No: BS1002
Date Revised: 06/23/2009
Revision No: 1

Resilience® Sealant Resin

16. OTHER INFORMATION

REASON FOR ISSUE: New MSDS Format

APPROVED BY: J. Hutchins **TITLE:** QA/RA Director

PREPARED BY: T. Swan

INFORMATION CONTACT: 1-800-999-3161

REVISION SUMMARY: Revision #: 1. This MSDS replaces the December 01, 2008 MSDS. Any changes in information are as follows: In Section 1: 24 Hour Emergency Phone Numbers

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.